REFERENCE NUMERALS

8327/ETCH/SILICON

SEQUENCE	100
Step	101
Step	102
Step	104
Step	106
Step	108
Step	110
Step	112
Step	114
Step	116
Step	117
Step	118
Substrate	200
Film stack	202
Surface	203
Gate dielectric layer	204
Sidewalls	205
Gate electrode layer	206
Layer	207
Width	209
Width	211
Patterned mask	212
Anti-reflective coating (ARC)	
Hard mask layer	214
Width	215
Gate electrode	216
Thickness	217
Polysilicon electrode traces	
Hard mask	219
Traces	220
Regions	232
Regions	234
Channel region	236
Reactor	300
Process chamber	310
Coil element	312
Semiconductor wafer	314
Wafer support pedestal	316
Plasma power source	318
Network	319
Flat dielectric ceiling	320
	

Biasing power source	322	
Second matching network	324	
Entry ports	326	
Throttle valve	327	
Conductive body (wall)	330	
Electrical ground	334	
Vacuum pump	336	
Gas panel	338	
Controller	340	
Memory	342	
CPU	344	
Support circuits	346	
Gas source	348	
Gas conduit	349	
Gaseous mixture	350	
Plasma	355	
AXIOM reactor	400	
Process chamber	402	
Substrate pedestal	404	
Remote plasma source	406	
Controller	408	
Portion	410	
Second portion	412	
Vacuum pump	414	
_ _ _ _	-	
Sidewall	416	
Sidewall Lid	416 418	
Sidewall Lid Gas distribution plate	416 418	420
Sidewall Lid Gas distribution plate Gas mixing volume	416 418	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume	416 418 (Showerhead) 422 424	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer)	416 418 (Showerhead) 422 424 426	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps	416 418 (Showerhead) 422 424 426 428	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater	416 418 (Showerhead) 422 424 426 428 430	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit	416 418 (Showerhead) 422 424 426 428 430 432	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source	416 418 (Showerhead) 422 424 426 428 430 432 434	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port	416 418 (Showerhead) 422 424 426 428 430 432 434 436	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel Power source	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel Power source RF generator	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444 446 448	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel Power source RF generator Tuning assembly	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444 446 448	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel Power source RF generator Tuning assembly Applicator	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444 446 448 450 452	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel Power source RF generator Tuning assembly Applicator CPU	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444 446 448 450 452 454	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel Power source RF generator Tuning assembly Applicator CPU Memory	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444 446 448 450 452 454	420
Sidewall Lid Gas distribution plate Gas mixing volume Reaction volume Substrate (wafer) Gas-filled lamps Heater Conduit Source Exhaust port Throttle valve Support systems Remote plasma chamber Gas panel Power source RF generator Tuning assembly Applicator CPU	416 418 (Showerhead) 422 424 426 428 430 432 434 436 438 440 442 444 446 448 450 452 454	420

Plasma	462
Process gas	464
Conduit	466
Inlet port	468
Openings	470
Processing system	500
Input/output mole	502
Measuring station	504
FOUP	506
Robot	508
Process modules	510
Process modules	512
process modules	514
Process modules	516
Process modules	519
Robot	520
Load-lock chambers	522
Interface	524
Metrology module	526
Vacuumed plenum	528
Robot	530
Wafer receptacle	534
Handling device	536
Track	538
System controller	540
CPU	542
Memory	544
Support circuit	546